


Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

1. (Currently amended) A composition comprising a synergistically effective ~~active compound~~ combination of ~~anthranilamides~~ compounds of the formula (I)



in which

A¹ and A² independently of one another represent oxygen or sulfur,

X¹ represents N or CR¹⁰,

R¹ represents hydrogen or represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally mono- or polysubstituted, where the substituents independently of one another may be selected from the group consisting of R⁶, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₂-C₄-alkoxycarbonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, (C₁-C₄-alkyl)-C₃-C₆-cycloalkylamino and R¹¹,

R² represents hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, C₂-C₆-alkoxycarbonyl or C₂-C₆-alkylcarbonyl,

R³ represents hydrogen, R¹¹ or represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, each of which is optionally mono- or polysubstituted, where the substituents independently of one another may be selected from the group consisting of R⁶, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₂-C₆-alkoxycarbonyl,

C₂-C₆-alkylcarbonyl, C₃-C₆-trialkylsilyl, R¹¹, phenyl, phenoxy and a 5- or 6-membered heteroaromatic ring, where each phenyl, phenoxy and 5- or 6-membered heteroaromatic ring may optionally be substituted and where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R¹², or

R² and R³ may be attached to one another and form the ring M,

R⁴ represents hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, C₁-C₆-haloalkyl, C₂-C₆-haloalkenyl, C₂-C₆-haloalkynyl, C₃-C₆-halocycloalkyl, halogen, cyano, nitro, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, C₃-C₆-trialkylsilyl or represents phenyl, benzyl or phenoxy, each of which is optionally mono- or polysubstituted, where the substituents independently of one another may be selected from the group consisting of C₁-C₄-alkyl, C₂-C₄-alkenyl, C₂-C₄-alkynyl, C₃-C₆-cycloalkyl, C₁-C₄-haloalkyl, C₂-C₄-haloalkenyl, C₂-C₄-haloalkynyl, C₃-C₆-halocycloalkyl, halogen, cyano, nitro, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-cycloalkylamino, C₃-C₆-(alkyl)cycloalkylamino, C₂-C₄-alkylcarbonyl, C₂-C₆-alkoxycarbonyl, C₂-C₆-alkylaminocarbonyl, C₃-C₈-dialkylaminocarbonyl and C₃-C₆-trialkylsilyl,

R⁵ and R⁸ in each case independently of one another represent hydrogen, halogen or represent in each case optionally substituted C₁-C₄-alkyl, C₁-C₄-haloalkyl, R¹², G, J, -OJ, -OG, -S(O)_p-J, -S(O)_p-G, -S(O)_p-phenyl, where the substituents independently of one another may be selected from one to three radicals W or from the group consisting of R¹², C₁-C₁₀-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₄-alkoxy and C₁-C₄-alkylthio, where each substituent may be substituted by one or more substituents independently of one another selected from the group consisting of G, J, R⁶, halogen, cyano, nitro, amino, hydroxyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, C₁-C₄-alkylamino, C₂-C₈-dialkylamino, C₃-C₆-trialkylsilyl, phenyl and phenoxy, where each phenyl or phenoxy ring may optionally be substituted and where the substituents

- independently of one another may be selected from one to three radicals W or one or more radicals R¹²,
- G in each case independently of one another represent a 5- or 6-membered non-aromatic carbocyclic or heterocyclic ring which may optionally contain one or two ring members from the group consisting of C(=O), SO and S(=O)₂ and which may optionally be substituted by one to four substituents independently of one another selected from the group consisting of C₁-C₂-alkyl, halogen, cyano, nitro and C₁-C₂-alkoxy, or independently of one another represent C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₇-cycloalkyl, (cyano)-C₃-C₇-cycloalkyl, (C₁-C₄-alkyl)-C₃-C₆-cycloalkyl, (C₃-C₆-cycloalkyl)-C₁-C₄-alkyl, where each cycloalkyl, (alkyl)cycloalkyl and (cycloalkyl)alkyl may optionally be substituted by one or more halogen atoms,
- J in each case independently of one another represent an optionally substituted 5- or 6-membered heteroaromatic ring, where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R¹²,
- R⁶ independently of one another represent -C(=E¹)R¹⁹, -LC(=E¹)R¹⁹, -C(=E¹)LR¹⁹, -LC(=E¹)LR¹⁹, -OP(=Q)(OR¹⁹)₂, -SO₂LR¹⁸ or -LSO₂LR¹⁹, where each E¹ independently of one another represents O, S, N-R¹⁵, N-OR¹⁵, N-N(R¹⁵)₂, N-S=O, N-CN or N-NO₂,
- R⁷ represents hydrogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, halogen, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl,
- R⁹ represents C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylsulfinyl or halogen,
- R¹⁰ represents hydrogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, halogen, cyano or C₁-C₄-haloalkoxy,
- R¹¹ in each case independently of one another represents in each case optionally mono- to trisubstituted C₁-C₆-alkylthio, C₁-C₆-alkylsulfenyl, C₁-C₆-haloalkylthio, C₁-C₆-haloalkylsulfenyl, phenylthio or phenylsulfenyl, where the substituents independently of one another may be selected from the list W, -S(O)_nN(R¹⁶)₂, -C(=O)R¹³, -L(C=O)R¹⁴, -S(C=O)LR¹⁴, -C(=O)LR¹³, -S(O)_nNR¹³C(=O)R¹³, -S(O)_nNR¹³C(=O)LR¹⁴ or -S(O)_nNR¹³S(O)₂LR¹⁴,
- L in each case independently of one another represents O, NR¹⁸ or S,
- R¹² in each case independently of one another represents -B(OR¹⁷)₂, amino, SH, thiocyanato, C₃-C₈-trialkylsilyloxy, C₁-C₄-alkyl disulfide, -SF₅, -C(=E¹)R¹⁹,

$-\text{LC}(=\text{E}^1)\text{R}^{19}$, $-\text{C}(=\text{E}^1)\text{LR}^{19}$, $-\text{LC}(=\text{E}^1)\text{LR}^{19}$, $-\text{OP}(=\text{Q})(\text{OR}^{19})_2$, $-\text{SO}_2\text{LR}^{19}$ or $-\text{LSO}_2\text{LR}^{19}$,

Q represents O or S,

R^{13} in each case independently of one another represent hydrogen or represent in each case optionally mono- or polysubstituted $\text{C}_1\text{-C}_6\text{-alkyl}$, $\text{C}_2\text{-C}_6\text{-alkenyl}$, $\text{C}_2\text{-C}_6\text{-alkynyl}$ or $\text{C}_3\text{-C}_6\text{-cycloalkyl}$, where the substituents independently of one another may be selected from the group consisting of R^6 , halogen, cyano, nitro, hydroxyl, $\text{C}_1\text{-C}_4\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-alkylsulfinyl}$, $\text{C}_1\text{-C}_4\text{-alkylsulfonyl}$, $\text{C}_1\text{-C}_4\text{-alkylamino}$, $\text{C}_2\text{-C}_8\text{-dialkylamino}$, $\text{C}_3\text{-C}_6\text{-cycloalkylamino}$ or $(\text{C}_1\text{-C}_4\text{-alkyl})\text{-C}_3\text{-C}_6\text{-cycloalkylamino}$,

R^{14} in each case independently of one another represent in each case optionally mono- or polysubstituted $\text{C}_1\text{-C}_{20}\text{-alkyl}$, $\text{C}_2\text{-C}_{20}\text{-alkenyl}$, $\text{C}_2\text{-C}_{20}\text{-alkynyl}$ or $\text{C}_3\text{-C}_6\text{-cycloalkyl}$, where the substituents independently of one another may be selected from the group consisting of R^6 , halogen, cyano, nitro, hydroxyl, $\text{C}_1\text{-C}_4\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-alkylsulfinyl}$, $\text{C}_1\text{-C}_4\text{-alkylsulfonyl}$, $\text{C}_1\text{-C}_4\text{-alkylamino}$, $\text{C}_2\text{-C}_8\text{-dialkylamino}$, $\text{C}_3\text{-C}_6\text{-cycloalkylamino}$ and $(\text{C}_1\text{-C}_4\text{-alkyl})\text{-C}_3\text{-C}_6\text{-cycloalkylamino}$ or represent optionally substituted phenyl, where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R^{12} ,

R^{15} in each case independently of one another represent hydrogen or represent in each case optionally mono- or polysubstituted $\text{C}_1\text{-C}_6\text{-haloalkyl}$ or $\text{C}_1\text{-C}_6\text{-alkyl}$, where the substituents independently of one another may be selected from the group consisting of cyano, nitro, hydroxyl, $\text{C}_1\text{-C}_4\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-haloalkoxy}$, $\text{C}_1\text{-C}_4\text{-alkylthio}$, $\text{C}_1\text{-C}_4\text{-alkylsulfinyl}$, $\text{C}_1\text{-C}_4\text{-alkylsulfonyl}$, $\text{C}_1\text{-C}_4\text{-haloalkylthio}$, $\text{C}_1\text{-C}_4\text{-haloalkylsulfinyl}$, $\text{C}_1\text{-C}_4\text{-haloalkylsulfonyl}$, $\text{C}_1\text{-C}_4\text{-alkylamino}$, $\text{C}_2\text{-C}_8\text{-dialkylamino}$, $\text{C}_2\text{-C}_6\text{-alkoxycarbonyl}$, $\text{C}_2\text{-C}_6\text{-alkylcarbonyl}$, $\text{C}_3\text{-C}_6\text{-trialkylsilyl}$ and optionally substituted phenyl, where the substituents independently of one another may be selected from one to three radicals W or one or more radicals R^{12} , or $\text{N}(\text{R}^{15})_2$ represents a cycle which forms the ring M,

R^{16} represents $\text{C}_1\text{-C}_{12}\text{-alkyl}$ or $\text{C}_1\text{-C}_{12}\text{-haloalkyl}$, or $\text{N}(\text{R}^{16})_2$ represents a cycle which forms the ring M,

R^{17} in each case independently of one another represent hydrogen or $\text{C}_1\text{-C}_4\text{-alkyl}$, or $\text{B}(\text{OR}^{17})_2$ represents a ring in which the two oxygen atoms are attached via a chain having two to three carbon atoms which are optionally substituted by one or two substituents independently of one another selected from the group consisting of methyl and $\text{C}_2\text{-C}_6\text{-alkoxycarbonyl}$,

- R^{18} in each case independently of one another represent hydrogen, C_1 - C_6 -alkyl or C_1 - C_6 -haloalkyl, or $N(R^{13})(R^{18})$ represents a cycle which forms the ring M,
- R^{19} in each case independently of one another represent hydrogen or represent in each case mono- or polysubstituted C_1 - C_6 -alkyl, where the substituents independently of one another may be selected from the group consisting of cyano, nitro, hydroxyl, C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_4 -alkylthio, C_1 - C_4 -alkylsulfinyl, C_1 - C_4 -alkylsulfonyl, C_1 - C_4 -haloalkylthio, C_1 - C_4 -haloalkylsulfinyl, C_1 - C_4 -haloalkylsulfonyl, C_1 - C_4 -alkylamino, C_2 - C_8 -dialkylamino, CO_2H , C_2 - C_6 -alkoxycarbonyl, C_2 - C_6 -alkylcarbonyl, C_3 - C_6 -trialkylsilyl and optionally substituted phenyl, where the substituents independently of one another may be selected from one to three radicals W, C_1 - C_6 -haloalkyl, C_3 - C_6 -cycloalkyl or phenyl or pyridyl, each of which is optionally mono- to trisubstituted by W,
- M in each case represents an optionally mono- to tetrasubstituted ring which, in addition to the nitrogen atom attached to the substituent pair R^{13} and R^{18} , $(R^{15})_2$ or $(R^{16})_2$, contains two to six carbon atoms and optionally additionally a further nitrogen, sulfur or oxygen atom, where the substituents independently of one another may be selected from the group consisting of C_1 - C_2 -alkyl, halogen, cyano, nitro and C_1 - C_2 -alkoxy,
- W in each case independently of one another represent C_1 - C_4 -alkyl, C_2 - C_4 -alkenyl, C_2 - C_4 -alkynyl, C_3 - C_6 -cycloalkyl, C_1 - C_4 -haloalkyl, C_2 - C_4 -haloalkenyl, C_2 - C_4 -haloalkynyl, C_3 - C_6 -halocycloalkyl, halogen, cyano, nitro, C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkoxy, C_1 - C_4 -alkylthio, C_1 - C_4 -alkylsulfinyl, C_1 - C_4 -alkylsulfonyl, C_1 - C_4 -alkylamino, C_2 - C_8 -dialkylamino, C_3 - C_6 -cycloalkylamino, $(C_1$ - C_4 -alkyl)- C_3 - C_6 -cycloalkylamino, C_2 - C_4 -alkylcarbonyl, C_2 - C_6 -alkoxycarbonyl, CO_2H , C_2 - C_6 -alkylaminocarbonyl, C_3 - C_8 -dialkylaminocarbonyl or C_3 - C_6 -trialkylsilyl,
- n in each case independently of one another represent 0 or 1,
- p in each case independently of one another represent 0, 1 or 2,


where, if (a) R^5 represents hydrogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_2 - C_6 -haloalkenyl, C_2 - C_6 -haloalkynyl, C_1 - C_4 -haloalkoxy, C_1 - C_4 -haloalkylthio or halogen and (b) R^8 represents hydrogen, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_2 - C_6 -haloalkenyl, C_2 - C_6 -haloalkynyl, C_1 - C_4 -haloalkoxy, C_1 - C_4 -haloalkylthio, halogen, C_2 - C_4 -alkylcarbonyl, C_2 - C_6 -alkoxycarbonyl, C_2 - C_6 -alkylaminocarbonyl or C_3 - C_8 dialkylaminocarbonyl, (c) at least one substituent selected from the group consisting of R^6 , R^{11} and R^{12} is present and (d) if R^{12} is not present,

at least one of the radicals R^6 and R^{11} is different from C_2 - C_6 -alkylcarbonyl, C_2 - C_6 alkoxycarbonyl, C_2 - C_6 -alkylaminocarbonyl and C_3 - C_8 -dialkylaminocarbonyl, and where the compound of the general formula (I) may also be an N-oxide or salt,

and at least one insecticidally active compound of groups 2 and 3 below selected from


A) (thio)phosphates (group 2), preferably

(2-1) azinphos-methyl (~~known from US 2,758,115~~)




and/or

(2-2) chlorpyrifos (~~known from US 3,244,586~~)




and/or

(2-3) diazinon (~~known from US 2,754,243~~)




and/or

(2-4) dimethoate (~~known from US 2,494,283~~)




and/or

(2-5) disulfoton (~~known from DE A 91 76 68~~)




and/or

(2-6) ethion (~~known from US 2,873,228~~)




and/or

(2-7) fenitrothion (~~known from DE A 0 594 669~~)




ad/or

(2-8) fenthion (~~known from DE A 11 166 56~~)




and/or

(2-9) isoxathion (~~known from DE A 15 67 137~~)




and/or

(2-10) malathion (~~known from US 2,578,562~~)




and/or

(2-11) methidathion (~~known from DE A 16 45 982~~)




and/or

(2-12) oxydemeton-methyl (~~known from DE A 94 73 68~~)




and/or

(2-13) parathion (~~known from DE A 81 41 52~~)




and/or

(2-14) parathion-methyl (~~known from DE A 81 41 42~~)




and/or

(2-15) phenthoate (~~known from GB A 834 814~~)




and/or

(2-16) phorate (~~known from US 2,586,655~~)




and/or

(2-17) phosalone (~~known from DE A 24 31 192~~)




and/or

(2-18) phosmet (~~known from US 2,767,194~~)




and/or

(2-19) phoxim (~~known from DE A 12 38 902~~)




and/or

(2-20) pirimiphos-methyl (~~known from DE A 14 45 949~~)




and/or

(2-21) profenophos (~~known from DE A 22 49 462~~)




and/or

(2-22) prothiophos (~~known from DE A 21 11 414~~)




and/or

(2-23) tebupirimphos (~~known from DE A 33 17 824~~)




and/or

(2-24) triazophos (~~known from DE A 12 99 924~~)




and/or

(2-25) chlorfenvinphos (~~known from US 2,956,073~~)




and/or

(2-26) dichlorophos (~~known from GB A 775 085~~)




and/or

(2-27) dicrotophos (~~known from BE A 55 22 84~~)




and/or

(2-28) mevinphos (~~known from US 2,685,552~~)




and/or

(2-29) monocrotophos (~~known from DE A 19 64 535~~)




and/or

(2-30) phosphamidon (~~known from US 2,908,605~~)




and/or

(2-31) acephate (~~known from DE A 20 14 027~~)




and/or

(2-32) methamidophos (~~known from US 3,309,266~~)



and/or


(2-33) trichlorfon (~~known from US 2,701,225~~)



and/or


B) carbamates (group 3), preferably

(3-1) carbaryl (~~known from US 2,903,478~~)




and/or

(3-2) fenoxycarb (~~known from EP A 0 004 334~~)



and/or

(3-3) formetanate (~~known from DE A 11 69 194~~)




and/or

(3-4) formetanate hydrochloride (~~known from DE A 11 69 194~~)


and/or

(3-5) methiocarb (~~known from DE A 11 62 352~~)




and/or

(3-6) methomyl (~~known from US 3,639,620~~)




and/or

(3-7) oxamyl (~~known from DE A 17 68 623~~)




and/or

(3-8) pirimicarb (= Pirimor) (~~known from GB A 1 181 657~~)




and/or

(3-9) propoxur (~~known from DE A 11 08 202~~)



(3-10) ~~thiodicarb (known from DE A 25 30 439)~~



(I-1)

R² represents hydrogen or C₁-C₆-alkyl,
R³ represents C₁-C₆-alkyl which is optionally substituted by one R⁶,
R⁴ represents C₁-C₄-alkyl, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy or halogen,
R⁵ represents hydrogen, C₁-C₄-alkyl, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy or halogen,
R⁶ represents -C(=E²)R¹⁹, -LC(=E²)R¹⁹, -C(=E²)LR¹⁹ or -LC(=E²)LR¹⁹, where each E² independently of one another represents O, S, N-R¹⁵, N-OR¹⁵, N-N(R¹⁵)₂, and each L independently of one another represents O or NR¹⁸,
R⁷ represents C₁-C₄-haloalkyl or halogen,
R⁹ represents C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy, S(O)_p-C₁-C₂-haloalkyl or halogen,
R¹⁵ in each case independently of one another represent hydrogen or represent in each case optionally substituted C₁-C₆-haloalkyl or C₁-C₆-alkyl, where the substituents independently of one another may be selected from the group consisting of cyano,

C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfinyl, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl and C₁-C₄-haloalkylsulfonyl,

R¹⁸ in each case represents hydrogen or C₁-C₄-alkyl,

R¹⁹ in each case independently of one another represent hydrogen or C₁-C₆-alkyl,

and

p independently of one another represent 0, 1, 2.

3. (Currently Amended) The composition as claimed in claim 1 or 2 comprising at least one active compound ~~from group 2 and/or group 3~~ selected from the group consisting of

(2-2) chlorpyrifos,

(2-31) acephate,

(2-32) methamidophos,

(3-1) carbaryl,

(3-5) methiocarb, and

(3-10) thiodicarb.

4. (Currently Amended) The composition as claimed in claim 1, ~~2 or 3~~ comprising ~~anthranilamides~~ at least one compound of ~~the~~ formula (I) and at least one active compound from group 2 and/or group 3 in a ratio of 50:1 to 1:50.

5. (Cancelled).

6. (Currently Amended) A process for preparing pesticides, ~~characterized in that~~ comprising contacting a synergistically effective mixture as defined in claim 1, ~~2, 3 or 4 is mixed~~ with extenders and/or surfactants.

7. (Currently Amended) A method for controlling animal pests, ~~characterized in that~~ comprising allowing a synergistically effective ~~mixtures~~ mixture as defined in claim 1, ~~2, 3 or 4 are~~ allowed to act on animal pests and/or their habitat.